



131678

Pennsylvania Department of Environmental Protection

400 Waterfront Drive  
Pittsburgh, PA 15222-4745  
July 2, 1996

Southwest Regional Office

412-442-4000

Mr. Romuald A. Roman (3HW23)  
Remedial Project Manager  
U. S. Environmental Protection Agency  
Region III  
841 Chestnut Building  
Philadelphia, PA 19107

RE: Ohio River Park Site  
Intrinsic Remediation Study  
Neville Township  
Allegheny County

Dear Mr. Roman:

On July 1, 1996, Fred Baldassare and Dawna Yannacci of the Department of Environmental Protection were present at the Coraopolis well field to observe the start of the planned aquifer test. Problems with the pump delayed the start of the test; however, a discussion with Mark Stella of Dames & Moore regarding sampling of the sentinel well during and after the aquifer test was held. This letter is written in regard to that discussion.

The Department requests that the sentinel well be sampled for VOCs and SVOCs after the startup of the second well (Well #8). In addition, the Department requests that the sampling planned for after the test be conducted immediately after, or just before, the pumps are turned off. The results of this sampling, along with the results of sampling conducted before the start of the test, will be very useful when used in conjunction with other information collected during the aquifer test in calibrating the model being constructed for this study.


Mr. Romuald A. Roman (3HW23)

-2-

July 2, 1996

If you have any questions regarding these requests, please call Fred Baldassare at 412-442-4145 or Dawna Yannacci at 412-442-4347.

Sincerely,



Annette T. Paluh  
Project Officer  
Environmental Cleanup

cc: Anthony Burlando

4R300547